ELSEVIER

Lithos 53 (2000) 293–294

LITHOS

www.elsevier.nl/locate/lithos

Author index to volume 53

Adam, J., see Green, T.H. . . . 165
Amossé, J., see Vatin-Perignon, N. . . . 59
Andersen, T. and T.-L. Knudsen, Crustal contaminants in the Permian Oslo Rift, South Norway: constraints from Precambrian geochemistry . . . 247
Bernstein, S., A.G. Leslie, A.K. Higgins and C.K. Brooks, Tertiary alkaline volcanics in the Nunatak Region, Northeast Greenland: new observations and comparison with Siberian maymechites . . . 1
Blundy, J.D., see Green, T.H. . . . 165
Blundy, J.D., see Hill, E. . . . 203
Blundy, J.D., see van Westrenen, W. . . . 189
Boulvais, P., S. Fourcade, B. Moine, G. Gruau and M. Cuney, Rare-earth elements distribution in granulite-facies marbles: a witness of fluid–rock interaction . . . 117
Brooks, C.K., see Bernstein, S. . . . 1
Castro Leyva, T., see Vatin-Perignon, N. . . . 59
Corfu, F., Extraction of Pb with artificially too-old ages during stepwise dissolution experiments on Archean zircon . . . 279
Cuney, M., see Boulvais, P. . . . 117
Elliott, B.A., see Nironen, M. . . . 37
Elvevold, S. and J.A. Gilotti, Pressure–temperature evolution of retrogressed kyanite eclogites, Weinschenk Island, North–East Greenland Caledonides . . . 127
Fourcade, S., see Boulvais, P. . . . 117
Gaspar, J.C., see Sgarbi, P.B.A. . . . 101
Gilotti, J.A., see Elvevold, S. . . . 127
Green, T.H., J.D. Blundy, J. Adam and G.M. Yaxley, SIMS determination of trace element partition coefficients between garnet, clinopyroxene and hydrous basaltic liquids at 2–7.5 GPa and 1080–1200°C . . . 165
Griffin, W.L., see O'Reilly, S.Y. . . . 217
Gruau, G., see Boulvais, P. . . . 117
Higgins, A.K., see Bernstein, S. . . . 1
Hill, E., B.J. Wood and J.D. Blundy, The effect of Ca-Tschermaks component on trace element partitioning between clinopyroxene and silicate melt . . . 203
Kämpf, H., see Seifert, W. . . . 81
Keller, F., see Vatin-Perignon, N. . . . 59
Knudsen, T.-L., see Andersen, T. . . . 247
Kratz, K.-L., see Lorand, J.-P. . . . 149
Krogh Ravna, E., Distribution of Fe^{2+} and Mg between coexisting garnet and hornblende in synthetic and natural systems: an empirical calibration of the garnet–hornblende Fe–Mg geothermometer . . . 265
Leslie, A.G., see Bernstein, S. . . . 1
Lorand, J.-P., G. Schmidt, H. Palme and K.-L. Kratz, Highly siderophile element geochemistry of the Earth's mantle: new data for the Lanzo (Italy) and Ronda (Spain) orogenic peridotite bodies . . . 149
Moine, B., see Boulvais, P. . . . 117
Nironen, M., B.A. Elliott and O.T. Rämö, 1.88–1.87 Ga post-kinematic intrusions of the Central Finland Granitoid Complex: a shift from C-type to A-type magmatism during lithospheric convergence . . . 37
O'Reilly, S.Y. and W.L. Griffin, Apatite in the mantle: implications for metasomatic processes and high heat production in Phanerozoic mantle . . . 217
Palme, H., see Lorand, J.-P. . . . 149

PII: S0024-4937(00)00054-2

Radelli, L., see Vatin-Perignon, N. 59
Rämö, O.T., see Nironen, M. 37
Schmidt, G., see Lorand, J.-P. 149
Seifert, W., H. Kämpf and J. Wasternack, Compositional variation in apatite, phlogopite and other accessory minerals of the ultramafic Delitzsch complex, Germany: implication for cooling history of carbonatites 81
Sgarbi, P.B.A., J.C. Gaspar and J.G. Valença, Clinopyroxene from Brazilian kamafugites 101
Trønnes, R.G., Melting relations and major element partitioning in an oxidized bulk Earth model composition at 15–26 GPa 233
Valença, J.G., see Sgarbi, P.B.A. 101
Van Westrenen, W., J.D. Blundy and B.J. Wood, Effect of Fe^{2+} on garnet–melt trace element partitioning: experiments in FCMAS and quantification of crystal-chemical controls in natural systems 189
Vatin-Perignon, N., J. Amossé, L. Radelli, F. Keller and T. Castro Leyva, Platinum group element behaviour and thermochemical constraints in the ultrabasic–basic complex of the Vizcaino Peninsula, Baja California Sur, Mexico 59
Wasternack, J., see Seifert, W. 81
Wood, B.J., see Hill, E. 203
Wood, B.J., see van Westrenen, W. 189
Xu, G., Fluid inclusions with $NaCl–CaCl_2–H_2O$ composition from the Cloncurry hydrothermal system, NW Queensland, Australia . 21
Yaxley, G.M., see Green, T.H. 165